



one terminal vinyl group represented by the following general formula (4) and/or (5):




(4)



(5)

wherein, R^1 is a hydrogen atom or an alkyl group of 1 to 10 carbon atoms; R^2 is a hydrogen atom or an alkyl group of 1 to 5 carbon atoms; R^3 is a hydrogen atom or an alkyl group of 1 to 10 carbon atoms; and "n" is an integer of 0 to 10, with a silicon compound represented by the following general formula (6):




(6)


wherein, R is a monovalent hydrocarbon group of 1 to 12 carbon atoms; X is a hydrolyzable group selected from the group

A1
 consisting of hydride, halogen, alkoxyl, acyloxy, ketoximate, amide, acid amide, aminoxy, thioalkoxy, amino, mercapto and alkenyloxy group; and "m" is an integer of 0 to 2, to add the SiH group of the silicon compound to the double bond of the copolymer rubber.

A2
 Claim 94 (Amended) The sealant for laminated glass according to one of Claims 91 to 92, wherein said silyl-containing ethylene/ α -olefin/non-conjugated polyene random copolymer rubber (A2) is produced by reacting a silyl-containing ethylene/ α -olefin/non-conjugated polyene random copolymer rubber having a norbornene compound as the non-conjugated polyene with at least one terminal vinyl group represented by the following general formula (4) and/or (5):



(4)



(5)

wherein, R^1 is a hydrogen atom or an alkyl group of 1 to 10 carbon atoms; R^2 is a hydrogen atom or an alkyl group of 1 to 5

carbon atoms; R^3 is a hydrogen atom or an alkyl group of 1 to 10 carbon atoms; and "n" is an integer of 0 to 10, with a silicon compound represented by the following general formula (6):




wherein, R is a monovalent hydrocarbon group of 1 to 12 carbon atoms; X is a hydrolyzable group selected from the group consisting of hydride, halogen, alkoxyl, acyloxy, ketoximate, amide, acid amide, aminoxy, thioalkoxy, amino, mercapto and alkenyloxy group; and "m" is an integer of 0 to 2, to add the SiH group of the silicon compound to the double bond of the copolymer rubber.


Please enter the following ~~new~~ claims:

A³

--95. (New) The rubber composition according to Claim 19, wherein said silyl-containing ethylene/ α -olefin/non-conjugated polyene random copolymer rubber (A²) is produced by reacting a silyl-containing ethylene/ α -olefin/non-conjugated polyene random copolymer rubber having a norbornene compound as the non-conjugated polyene with at least one terminal vinyl group represented by the following general formula (4) and/or (5):




(4)



(5)

wherein, R^1 is a hydrogen atom or an alkyl group of 1 to 10 carbon atoms; R^2 is a hydrogen atom or an alkyl group of 1 to 5 carbon atoms; R^3 is a hydrogen atom or an alkyl group of 1 to 10 carbon atoms; and "n" is an integer of 0 to 10, with a silicon compound represented by the following general formula (6):




(6)

wherein, R is a monovalent hydrocarbon group of 1 to 12 carbon atoms; X is a hydrolyzable group selected from the group consisting of hydride, halogen, alkoxyl, acyloxy, ketoximate, amide, acid amide, aminoxy, thioalkoxy, amino, mercapto and


10070307 0307032
A3

alkenyloxy group; and "m" is an integer of 0 to 2,
to add the SiH group of the silicon compound to the double bond
of the copolymer rubber.

96.(New) The sealant for laminated glass according Claim 93,
wherein said silyl-containing ethylene/ α -olefin/non-conjugated
polyene random copolymer rubber (A2) is produced by reacting a
silyl-containing ethylene/ α -olefin/non-conjugated polyene random
copolymer rubber having a norbornene compound as the non-
conjugated polyene with at least one terminal vinyl group
represented by the following general formula (4) and/or (5):



(4)



(5)

wherein, R^1 is a hydrogen atom or an alkyl group of 1 to 10
carbon atoms; R^2 is a hydrogen atom or an alkyl group of 1 to 5
carbon atoms; R^3 is a hydrogen atom or an alkyl group of 1 to 10
carbon atoms; and "n" is an integer of 0 to 10,
with a silicon compound represented by the following general